

# Freeform Search

---

<b>Database:</b>	US Pre-Grant Publication Full-Text Database
	US Patents Full-Text Database
	US OCR Full-Text Database
	EPO Abstracts Database
	JPO Abstracts Database
	Derwent World Patents Index
	IBM Technical Disclosure Bulletins

  

<b>Term:</b>	L28 and (configuration near3 file)
--------------	------------------------------------

  

<b>Display:</b>	<input type="text" value="50"/> Documents in Display Format: <input type="text" value="-"/> Starting with Number <input type="text" value="1"/>
-----------------	---

  

<b>Generate:</b>	<input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image
------------------	--

---

Search	Clear	Interrupt
--------	-------	-----------

---

## Search History

---

**DATE:** Wednesday, May 05, 2004   [Printable Copy](#)   [Create Case](#)

### Set Name Query

side by side

DB=PGPB,USPT; PLUR=YES; OP=ADJ

### Hit Count Set Name

result set

<u>L29</u>	L28 and (configuration near3 file)	1	<u>L29</u>
<u>L28</u>	('6219648')!.PN.	1	<u>L28</u>
<u>L27</u>	('6219648')!.PN.	1	<u>L27</u>
<u>L26</u>	L25 and @ad<20010101	6	<u>L26</u>
<u>L25</u>	alert near3 configuration near3 file	9	<u>L25</u>
<u>L24</u>	L23 and (configuration file)	1	<u>L24</u>
<u>L23</u>	('5559958')!.PN.	1	<u>L23</u>
<u>L22</u>	('5559958')!.PN.	1	<u>L22</u>
<u>L21</u>	L20 and @ad<20010101	17	<u>L21</u>
<u>L20</u>	L19 and (configuration near3 file)	29	<u>L20</u>
<u>L19</u>	pager near3 alert	715	<u>L19</u>
<u>L18</u>	help desk with message with pager	2	<u>L18</u>
<u>L17</u>	help desk	1042	<u>L17</u>
<u>L16</u>	L15 and configuration	1	<u>L16</u>
<u>L15</u>	('5892900')!.PN.	1	<u>L15</u>
<u>L14</u>	L13 and @ad<20010101	11	<u>L14</u>

<u>L13</u>	L12 and edit\$3	11	<u>L13</u>
<u>L12</u>	L11 and alert\$3	11	<u>L12</u>
<u>L11</u>	L9 and CGI	11	<u>L11</u>
<u>L10</u>	L9 and portal	0	<u>L10</u>
<u>L9</u>	L8 and password	19	<u>L9</u>
<u>L8</u>	L7 and compil\$3	20	<u>L8</u>
<u>L7</u>	L6 and (API near3 function near3 call)	20	<u>L7</u>
<u>L6</u>	L5 and group	64	<u>L6</u>
<u>L5</u>	L4 and secure	65	<u>L5</u>
<u>L4</u>	L3 and schedul\$3	100	<u>L4</u>
<u>L3</u>	L2 and (configuration near3 file)	140	<u>L3</u>
<u>L2</u>	L1 and (text near3 messag\$3)	2433	<u>L2</u>
<u>L1</u>	pager	18626	<u>L1</u>

END OF SEARCH HISTORY

## Refine Search

### Search Results -

Term	Documents
TELALERT.INI	0
TELALERT.INIS	0
"TELALERT.INI".PGPB,USPT.	0
(TELALERT.INI).PGPB,USPT.	0

Database:

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

L39

Refine Search

Recall Text 

Clear

Interrupt

### Search History

DATE: Wednesday, May 05, 2004   [Printable Copy](#)   [Create Case](#)

**Set Name Query**

side by side

**Hit Count Set Name**

result set

DB=PGPB,USPT; PLUR=YES; OP=ADJ

<a href="#">L39</a>	telalert.ini	0	<a href="#">L39</a>
<a href="#">L38</a>	telart.ini	0	<a href="#">L38</a>
<a href="#">L37</a>	10/020123	0	<a href="#">L37</a>
<a href="#">L36</a>	L33 and telalert	1	<a href="#">L36</a>
<a href="#">L35</a>	('6442547')!.PN.	1	<a href="#">L35</a>
<a href="#">L34</a>	L33 and telalert	1	<a href="#">L34</a>
<a href="#">L33</a>	('6442547')!.PN.	1	<a href="#">L33</a>
<a href="#">L32</a>	L30 not accenture.as.	17	<a href="#">L32</a>
<a href="#">L31</a>	L30 and @ad<20010101	54	<a href="#">L31</a>
<a href="#">L30</a>	telalert	59	<a href="#">L30</a>
<a href="#">L29</a>	L28 and (configuration near3 file)	1	<a href="#">L29</a>

<u>L28</u>	('6219648')!.PN.	1	<u>L28</u>
<u>L27</u>	('6219648')!.PN.	1	<u>L27</u>
<u>L26</u>	L25 and @ad<20010101	6	<u>L26</u>
<u>L25</u>	alert near3 configuration near3 file	9	<u>L25</u>
<u>L24</u>	L23 and (configuration file)	1	<u>L24</u>
<u>L23</u>	('5559958')!.PN.	1	<u>L23</u>
<u>L22</u>	('5559958')!.PN.	1	<u>L22</u>
<u>L21</u>	L20 and @ad<20010101	17	<u>L21</u>
<u>L20</u>	L19 and (configuration near3 file)	29	<u>L20</u>
<u>L19</u>	pager near3 alert	715	<u>L19</u>
<u>L18</u>	help desk with message with pager	2	<u>L18</u>
<u>L17</u>	help desk	1042	<u>L17</u>
<u>L16</u>	L15 and configuration	1	<u>L16</u>
<u>L15</u>	('5892900')!.PN.	1	<u>L15</u>
<u>L14</u>	L13 and @ad<20010101	11	<u>L14</u>
<u>L13</u>	L12 and edit\$3	11	<u>L13</u>
<u>L12</u>	L11 and alert\$3	11	<u>L12</u>
<u>L11</u>	L9 and CGI	11	<u>L11</u>
<u>L10</u>	L9 and portal	0	<u>L10</u>
<u>L9</u>	L8 and password	19	<u>L9</u>
<u>L8</u>	L7 and compil\$3	20	<u>L8</u>
<u>L7</u>	L6 and (API near3 function near3 call)	20	<u>L7</u>
<u>L6</u>	L5 and group	64	<u>L6</u>
<u>L5</u>	L4 and secure	65	<u>L5</u>
<u>L4</u>	L3 and schedul\$3	100	<u>L4</u>
<u>L3</u>	L2 and (configuration near3 file)	140	<u>L3</u>
<u>L2</u>	L1 and (text near3 messag\$3)	2433	<u>L2</u>
<u>L1</u>	pager	18626	<u>L1</u>

END OF SEARCH HISTORY

## Refine Search

### Search Results -

Term	Documents
SECUR\$3	0
SECUR	83
SECURA	25
SECURABE	2
SECURACQ	1
SECURAGE	1
SECURAL	52
SECURALL	1
SECURALY	1
SECURANT	98
SECURATE	1
(L46 AND SECUR\$3).PGPB,USPT.	0

[There are more results than shown above. Click here to view the entire set.](#)

Database:

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

L60

Refine Search

Recall Text

Clear

Interrupt

### Search History

DATE: Wednesday, May 05, 2004 [Printable Copy](#) [Create Case](#)

Set Name Query  
 side by side

Hit Count Set Name  
 result set

DB=PGPB,USPT; PLUR=YES; OP=ADJ

L60 L46 and secur\$3

0 L60

<u>L59</u>	L57 and @ad<20011030	9	<u>L59</u>
<u>L58</u>	L57 and @ad<20010101	0	<u>L58</u>
<u>L57</u>	L56 and contact	27	<u>L57</u>
<u>L56</u>	L55 and (configuration file)	57	<u>L56</u>
<u>L55</u>	L54 and (pager)	1144	<u>L55</u>
<u>L54</u>	portal	16670	<u>L54</u>
<u>L53</u>	6442547.pn. and portal	0	<u>L53</u>
<u>L52</u>	L46 and portal	0	<u>L52</u>
<u>L51</u>	L46 and (configuration file)	1	<u>L51</u>
<u>L50</u>	L46 and compil\$3	0	<u>L50</u>
<u>L49</u>	L46 and includ\$3	1	<u>L49</u>
<u>L48</u>	L46 and pager	1	<u>L48</u>
<u>L47</u>	L46 and contact	1	<u>L47</u>
<u>L46</u>	6219648.pn.	1	<u>L46</u>
<u>L45</u>	L33 and (server or telalert)	1	<u>L45</u>
<u>L44</u>	L33 and server	1	<u>L44</u>
<u>L43</u>	L33 and (telalert same server)	0	<u>L43</u>
<u>L42</u>	L33 and (telalert near3 server)	0	<u>L42</u>
<u>L41</u>	L40 and configuration	1	<u>L41</u>
<u>L40</u>	6219648.pn.	1	<u>L40</u>
<u>L39</u>	telalert.ini	0	<u>L39</u>
<u>L38</u>	telart.ini	0	<u>L38</u>
<u>L37</u>	10/020123	0	<u>L37</u>
<u>L36</u>	L33 and telalert	1	<u>L36</u>
<u>L35</u>	('6442547')!.PN.	1	<u>L35</u>
<u>L34</u>	L33 and telalert	1	<u>L34</u>
<u>L33</u>	('6442547')!.PN.	1	<u>L33</u>
<u>L32</u>	L30 not accenture.as.	17	<u>L32</u>
<u>L31</u>	L30 and @ad<20010101	54	<u>L31</u>
<u>L30</u>	telalert	59	<u>L30</u>
<u>L29</u>	L28 and (configuration near3 file)	1	<u>L29</u>
<u>L28</u>	('6219648')!.PN.	1	<u>L28</u>
<u>L27</u>	('6219648')!.PN.	1	<u>L27</u>
<u>L26</u>	L25 and @ad<20010101	6	<u>L26</u>
<u>L25</u>	alert near3 configuration near3 file	9	<u>L25</u>
<u>L24</u>	L23 and (configuration file)	1	<u>L24</u>
<u>L23</u>	('5559958')!.PN.	1	<u>L23</u>
<u>L22</u>	('5559958')!.PN.	1	<u>L22</u>
<u>L21</u>	L20 and @ad<20010101	17	<u>L21</u>
<u>L20</u>	L19 and (configuration near3 file)	29	<u>L20</u>
<u>L19</u>	pager near3 alert	715	<u>L19</u>

<u>L18</u>	help desk with message with pager	2	<u>L18</u>
<u>L17</u>	help desk	1042	<u>L17</u>
<u>L16</u>	L15 and configuration	1	<u>L16</u>
<u>L15</u>	('5892900')!.PN.	1	<u>L15</u>
<u>L14</u>	L13 and @ad<20010101	11	<u>L14</u>
<u>L13</u>	L12 and edit\$3	11	<u>L13</u>
<u>L12</u>	L11 and alert\$3	11	<u>L12</u>
<u>L11</u>	L9 and CGI	11	<u>L11</u>
<u>L10</u>	L9 and portal	0	<u>L10</u>
<u>L9</u>	L8 and password	19	<u>L9</u>
<u>L8</u>	L7 and compil\$3	20	<u>L8</u>
<u>L7</u>	L6 and (API near3 function near3 call)	20	<u>L7</u>
<u>L6</u>	L5 and group	64	<u>L6</u>
<u>L5</u>	L4 and secure	65	<u>L5</u>
<u>L4</u>	L3 and schedul\$3	100	<u>L4</u>
<u>L3</u>	L2 and (configuration near3 file)	140	<u>L3</u>
<u>L2</u>	L1 and (text near3 messag\$3)	2433	<u>L2</u>
<u>L1</u>	pager	18626	<u>L1</u>

END OF SEARCH HISTORY